

160296

McNAIR LAW FIRM, P.A.

ATTORNEYS AND COUNSELORS AT LAW

www.mcnair.net


Robert T. Bockman

11TH FLOOR, BANK OF AMERICA TOWER
PO Box 11390
1301 Gervais St. (29201)
COLUMBIA SOUTH CAROLINA 29211

TELEPHONE (803) 799-9800
FACSIMILE (803) 376-2219

October 25, 2002

The Honorable Gary E. Walsh
Executive Director
South Carolina Public Service Commission
Post Office Box 11649
Columbia, South Carolina 29211



Re: Application of Chem-Nuclear Systems, LLC (SCPSC Docket No.
2000-366-A) (FY 2002-2003 Proceeding)

Dear Mr. Walsh:

Enclosed herewith for filing please find the original affidavit of publication of the Notice of Filing in the above-captioned docket one time in *The State*.

Should you have any questions with respect to this matter, please do not hesitate to contact me.

Sincerely,

Elizabeth A. Blitch, Legal Assistant
to Robert T. Bockman

Enclosures

POSTED
OCT 28 2002

THE STATE-RECORD CO., INC.
Columbia, South Carolina
publisher of

The State

STATE OF SOUTH CAROLINA
COUNTY OF RICHLAND

Personally appeared before me, Ryan Burlison, Advertising Insider of THE STATE, and makes oath that the advertisement,

Notice of Filing – Docket No. 2002-366-A – Chem-Nuclear System

was inserted in THE STATE, a daily newspaper of general circulation in the City of Columbia, State and County aforesaid, in the issues of

October 10, 2002

Ryan Burlison

BEFORE
THE PUBLIC SERVICE
COMMISSION OF
SOUTH CAROLINA
**NOTICE OF
FILING**
DOCKET
NO. 2000-366-A
APPLICATION OF
CHEM-NUCLEAR SYS-
TEMS LLC, A DIVISION
OF DURATEK, INC.,
FOR ADJUSTMENT IN
THE LEVELS OF AL-
LOWABLE COSTS AND
FOR IDENTIFICATION
OF ALLOWABLE
COSTS.
Chem-Nuclear Systems,
LLC, (CNS) a Division of
Duratek, Inc. filed an
Application on Septem-
ber 30, 2002 with the
Public Service Commis-
sion of SC (the "Com-
mission") pursuant to
S.C. Code Ann. Section
48-46-40(B) (4)
(Supp.2001) and the
Commission's rules and
regulations for adjust-
ment in the levels of cer-
tain allowable costs and
for identification of cer-
tain allowable costs for
the operation of its
regional low-level
radioactive waste dis-
posal facility located in
the vicinity of Barnwell,
South Carolina. The
Atlantic Interstate Low-
Level Radioactive Waste
Compact Implementa-
tion Act authorizes the
Commission "to identify
allowable costs for oper-
ating a regional low-
level radioactive waste
disposal facility" in
South Carolina, and
designates the following
as parties to such pro-
ceedings: The South
Carolina Budget and
Control Board, The Con-
sumer Advocate for the
State of South Carolina,
The South Carolina
Attorney General, the
Atlantic Compact Com-
mission, and The South
Carolina Department of
Health and Environmen-
tal Control.
Any person who wishes
to testify and present
evidence should notify,
in writing, the under-
signed and Mr. Robert T.
Bockman, Esquire,
McNair Law Firm, P.A.,
Post Office Box 11390,
Columbia, South Caroli-
na 29211 on or before
November 1, 2002 and
indicate the amount of
time required for the
presentation.
Any person who wishes
to express his or her
views but is unable or
does not desire to
appear and testify
should submit those
views to the under-
signed in writing on or
before November 1,
2002.
Any person or entity,
other than those listed
above, who wishes to
participate as a Party of
Record with the right of
cross-examination
should file a Petition to
Intervene in accordance
with the Commission's
Rules of Practice and
Procedure, on or before
November 1, 2002.
Persons seeking infor-
mation about the Com-
mission's Procedures
should contact the Com-
mission's offices at
(803) 896-5115.
Gary E. Walsh
Executive Director
Public Service Commis-
sion of South Carolina
Post Office Box 11649
Columbia, South Caroli-
na 29211
29741

Subscribed and sworn to before me

on this day October 24, 2002

Ernie F. Horner

Notary Public

My commission expires May 5, 2003

"Errors- the liability of the publisher on account of errors in or omissions from any advertisement will in no way exceed the amount of the charge for the space occupied by the item in error, and then only for the first incorrect insertion."